
ASH GROVE CEMENT COMPANY



"WESTERN REGION"

November 10, 1994

Mr. Fred Austin Puget Sound Air Pollution Control Agency 110 Union Street, Suite 500 Seattle, WA. 98119-3958

Re: Notice of Construction application for the Finish Mill High Efficiency Separator Project.

Dear Mr. Austin,

Enclosed is a Notice of Construction application for the finish mill high efficiency separator project at Ash Grove's facility at 3801 East Marginal Way So., Seattle WA. 98134 and check (#3860) for \$5,000 as required by Section 6.04 of Regulation I for the NOC review fee.

If you have any questions regarding this application, please call me.

Yours truly,

Gerald J. Brown

Manager, Safety and Environmental

cc: Ed Pierce Ralph Jones

ASH GROVE CEMENT COMPANY 3801 E. MARGINAL WAY SOUTH (206) 623-5596 SEATTLE, WASHINGTON 98134 PAY TO THE ORDER OF **PSAPCA**

> Industrial Branch 2764 First Ave. S. Seattle, WA 98134

> > #00003860# MI125000024# 7443 104#

WO SIGNATURES REQUIRED

11-10

3860

DOLLARS

19-2/1250

Νō

19 94

\$ 5000.00



こうしているのからはないのではないのできるというのできないというと

PUGET SOUND AIR POLLUTION CONTROL AGENCY

ENGINEERING DIVISION

110 Union Street, Suite 500 . Seattle, WA 98101-2038

Telephone: (206) 689-4052

Notice of Construction and Application for Approval

1101	100 01 00.				1		1 1		
FOR	D Be sure t	o complete	items 39, 40, 41, & 43	before DATE N/C NUMBER					
run	submitti	ng Form P.			REG. NO				
31	DE 1			1	SIC. NO				
			OLUBRIENT (Chack)	7. APPLI	GAIO NO.	UIM			
1. TYPE OF	F BUILDING ICheck! 2. ST	ATUSOFE	DOIPMENT (Check)	,, =,,,,,	CANT				
O New	A	₩ O Existing	O Altered O Aelocation	1					
	MAN INSUMO BOLYN				CANT AOORESS				
	ROVE CEMENT COMPA			SA					
	NY LOR OWNERS WAILING A			9. INSTA	LLATION ADDRESS				
	E MARGINAL WAY SO	UTH, SEA	ATTLE WA 98134						
	E OF BUSINESS			10. TYPE	OF PROCESS		·		
PORTLA	AND CEMENT MANUFA	CTURER							
	EQUIPME EQUIP	NT (ENTER	ONLY NEW EQUIPMENT OLUMN 'NO. OF UNITS.	OR CHAI	NGES. ENTER NUMBER O TE FORM 'S' FOR EACH E	F UNITS OF			
	SPACE HEATERS OR	14. NO.		15. NO.		16. NO.			
11. NO.	BOILERS (Complete Form S-A)	OF UNITS	OVENS	OF UNIT	L ACCOMANICAL FOURD	OF UNITS	MELTING FURNACES		
	Telegraphic Control of the Control o		CORE BAKING OVEN	(8)	_ AREAS	 	POT		
13 110	(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)((0)	PAINT BAKING	(b)	- BULK CONVEYOR	(6)	REVERBERATORY		
12, NO. OF UNITS	! INCINERATORS [Complete Form S-8]	107	PLASTIC CURING	101	_ CLASSIFIER	ic;	ELECTRIC INDUC/RESIST		
(2)		(0)	LITHO COATING OVEN	[[]	STORAGE BIN	(d1	CAUCIBLE		
	OTHER SYSTEMS	(e)	ORYER	(e)	_ BAGGING	(e)	CUPOLA		
OF UNITS	OTAER STSTEMS	(()	ROASTER	(f)		(f)	ELECTRIC ARC		
(1)	DEGREASING, SOLVENT	101	KILN	101	LOADING OR UNLOADING	101	SWEAT		
(0)	ABRASIVE BLASTING	Inl	HEAT-TREATING	(h) -	BATCHING				
(c)	OTHER - SYSTEM	ti I	OTHER	(+)	MIXER ISOLIDSI	[1]	GLASS		
io1_2_	SEPARATORS	(11		0.1	OTHER	113 OTHER NON METALLIC			
17. NO. OF UNITS	GENERAL OPER. EQUIP	17. NO. OF UNITS	GENERALOPER.EQUIP.	17. NO. OF UNITS	GENERAL OPER. EQUIP.	18. NO. OF UNITS	OTHER EQUIPMENT		
(1)	CHEMICAL MILLING	(1)	GALVANIZING	(k)	ASPHALT BLOWING	(81	SPRAY PAINTING GUN		
(b1	PLATING	(9)	IMPREGNATING	(1)	- CHEMICAL COATING	(61	SPRAY BOOTH OR ROOM		
(5)	DIGESTER	(h	MIXING OR FORMULATING	(m	COFFEE ROASTER	FLOW COATING			
(6)	DRY CLEANING	(1)	REACTOR .	(0)	SAWS & PLAMERS	FIBERGLASSING			
re)	FORMING OR MOLDING	(ı)	21/LL	(0)	STORAGE TANK	(e1	OTHER		
	CONTRO	L DEVICES	COMPLETE A FORM		QUIPMENT IN SPACES IN (COLUMNS,	· .		
18. NO. OF UNITS	CONTROL DEVICE	20. NO. OF UNITS	CONTROL DEVICE	21. NO. OF UNITS	CONTROL DEVICE	22. NO. OF UNITS	CONTROL DEVICE		
121	SPRAY CURTAIN	()	AIR WASHER	181	ABSORRER	(a)	DEMISTER		
151	CYCLONE	16)	WET COLLECTOR	{b}	ADSDABER	161-5	BAGHOUSE		
161	MULTIPLE CYCLONE	(c)	VENTURI SCRUBBER	(c)	FILTER PADS	{cı	ELEC. PRECIPITATOR		
_	INERTIAL COLL OTHER	101		(01	AFTERBURNER	(0)	OTHER		
23. BASIC	EQUIPMENT COST	124. CONTA	OL EQUIPMENT COST	25. DAILY	HOURS 24hours	26. DAYS 0	F OPERATION (Circle)		
\$161	400		\$400,000	FROM	AM 16 PM	-	TWTFS		
	TED STARTING DATE OF CO.	NSTRUCTION	:		ATED COMPLETION DATE OF	CONSTRUCT	ON:		
	ATERIALS (List starting ma IELS (Type and amount)	iterial used in	OFOCESSI ANNUAL AMT.	30. PRODU	JCTS (List End Products)		ANNUAL PROD.		
21				PORT	TLAND CEMENT		1750,000 TO		
101				(m)					
				(-)					
	,			141			1		
<u>-:</u>				-		_			
•				.41	10000	1000400			
-:·			1 1	10.	AGCS2N	ทบบ2193			

SEA0596

No	tice o	of C	on	st	ru	ct	io	n	App	olica	atic	n		FC	IRM	1 P			
										BER, TYPE			OF VE	NTI					
			UPTION				32.	HEIG	HT ABOV	£ 33,	VOLU	u£			DIA	ENSIO	NS IINC	HESI	
31, NO. OF UNITS			ENING						E (FT.)	EX	ACFM)	D		34. LE	NGTH	(OR DI	AMI	35.	. WID
	STACKS						1						Ì					İ	
a)	FLUES																		
(D)	PROCESS OR G	FNFRAL F	YHAUS	7			+			i									
(c) (d) 5	PROCESS OR G						(2)	86	1/(2)7	51(2)	77k/(2) 1	bk >	(2)	5.2	ftx	(2)	20ingl	nes
lej	SKYLIGHT OR Y								(1)5		_(1					(1) 14:	inchés	3 X
(1)	EXHAUST HOO	00								7									
(0)	OTHER																		
	•	_						FLC	W DIA	GRAM									
(a) FL((b) SH((c) IF I (d) INC	LOW DIAGRAM OW FLOW DIAG MORE THAN O DICATE ALL PI OW CHART CA OW PICKUP AN	MAY BE: GRAM OF ONE PROC DINTS IN	SCHEM F PROC ESS IS I PROCE	ESS SI INVO	TART LVED HERE ARAT	ING W TO M GASE	AAKE OUS IF NE	FINIS OR PA CESSA	MATERIA MEO PRO ARTICUL ARY, (OF	LS USED DOUCT, SI ATE POLL AWINGS I	AND E HOW EA LUTAN MAYBE	NDING ACH P TS AA SUBA	ROCE E EMI	H FINI SS AN TTED	ISHED D WHE	PROD	HEY ME	ERGE.	
		_				_	*												
		-			;	i k	i	:	: .										
<u>, , , , , , , , , , , , , , , , , , , </u>						<u> </u>		<u>:</u>				<u>·</u>		-				<u></u> _	
				:	;]		}	i			:		:	_	:		_:	<u>.</u>	
:			;		j	1	1	T	· ·				į	1					
1			1			-÷	i	i		:		- 1		:		i		. – –	9
1	_ : : [SEE	PRO	POSA:	#	294	53¦	1	1 .			i_	•		<u> </u>			— —	
:		: i		· [·		ļ	ļ	!	! .							i		,	
į .		:		;	<u> </u>			i	:			.— . ~							ž
	·			i	<u>: - :</u>		- !	!	:					_	.— - -	- –		.	
1 .		: !	<u>;</u>	<u>:</u>	<u>l i</u>	<u>:</u>	ļ	-	į										
			ŀ	1			ļ		,										
1	1	-:		i	· ;		1	i									- ^ · · · ·		
	1 1		.	-	: 1			•											
	<u> </u>				<u> </u>	!	:	<u>.</u>											
:		4 4	ν,		} ;	i	į	:					•						
	1 .			;	. !	į	:	ì	:		,		÷			1.0			
					1														
		· 	· - —		:			·										_	
								į											
								.5								~			
				·	10000		· ·		:										÷
					,														
7	OF ATTACHMEN	10	CCOM	ANNI	(C C :	TA 00	C 0216	CHITC											
FORM FORM FLOW	R S DLAGRAM		SI'	TE P. RRAT	LAN IVE				EW.	POMENII PMENI SI			T .						
	I. THE UNDE													CDM		ACCO)MPANY	ING FOR	MS.
41. TYPE	OR PRINT MAME		166	17.7					42	TITLE					1/	10	43. P	HONE	
-62	cratel	4-1-	11.)1	CUL	- 7	A 12 + 12 *				Ma	K.	SH	f F	TZ.	ŁF	N.V	60	3.5	7

AGCS2M002194

PUGET SOUND AIR POLLUTION CONTROL AGENCY
Engineering Division I 110 Union Street, Room 500 Seattle, Washington 98101-2038 (206) 689-4052
NOTICE of CONSTRUCTION & APPLICATION for APPROVAL
FOR HIS POLLUTION CONTROL FOLLOWERT ONLY FOR MR For Agency Use:

FOR AIR POLLUTION CONTROL EQUIPMENT ONLY

FORM R

N/C# Date:

	*Note: Information	on required by Section 1a must be	completed for this form to be ac	cepted for review.			
1	a. Complete the Sections Indicated [] 1 []	2 []3 []4 []5 []6	b. Company (or owner) Installation Add	dress			
	Sections Indicated []7 []	8 []9 []10 []11 []12	3801 E MARGINAL WAY SO	JTH, SEATTLE WA 98134			
	c. Company (or owner) Name		d. Applicant				
	ASH GROVE CEMENT CO. e. Prepared by (name and title)	MPANY	f. Prepared by (signarus) // g. Phone				
	GERALD J BROWN		Cull Mu	623-5596			
2	AIR POLLUTION	b. Type of Equipment	c. Make & Model	d. Dimensions (LxWxH) 2FA @			
2	CONTROL EQUIPMENT	BAGHOUSE		24'x25'x16'/ 6'x6'x10'			
	e. Number of Units	f. Capacity ACFM (2) 77,00	g. Auxiliary Equipment	h. Connected to:			
ļ	5	(2) 10,000, (1) 5,000 b. Number of Bags	c. Shaking Cycle (auto or manual	d Cloth Ama			
3	BAGHOUSE	b. Number of Bags	rapping or reverse air)	d. Cloth Area 2 ea @ 18689ft [2/41667 ft ² /833 ft ²			
	e. Material Used	f.	g. Air-to-Cloth Ratio (ft/minute)	h. Connected to:			
4	ELECTROSTATIC PRECIP.	b. Electrode Separation (f1)	c. Coll. Electrode Dimensions LxW (ft)				
	c. Area (sq ft)	f. Voltage	g. Coll. Electrode or Plate Area (sq ft)	h. Connected to:			
5	a. BURNERS	b. Type of Burner, Fuel	c. Make & Model	d. Rating			
	e. Number of Units; Ignition	f.	g. CFM Exhausted (Temperature)	h. Connected to:			
	5		77k/10k,5k (175/90°F)	FAN			
6	L STACKS, VENTS	b. Type of Vent	c. Dimensions (LxWxH)	d. Dampers			
	c. No. of Vents; Material Used	f.	g. CFM Exhausted (Temperature) (^*F)	h. Connected to:			
7	² SCRUBBERS	b. Type of Flow (sprzy, bubbler)	c. Packing Type/Size	d. Pressure Drop (inches of water)			
	e. Composition of Solution	ſ.	g. Flow Rate (GPM)	h. Make-Up (GPM)			
8	a. FANS	b. Type of Fan (designate blade) backward (2) 77k incline	c. Make & Model	d. Moior Data (2) 350 (2) 30			
	c. Number of Fans; Material Used	^{f.} (2) 10k	g. CFM Exhausted (Temp @ SP)	h. Connected to:			
	5	(1) 5k : paddle wheel	77k/10k,5k (175/90°F)	SEPARTATOR/BELT & BINS			
9	a. CYCLONES	b. Type of Cytlone [] Common [] Split Duct [] Multiclone	c. Make & Model	d. Inlet Area (sq'lt)			
	e. Number of Units; Material Used	f, Body Dia, (in.) Outlet Dia, (in.)	g. Body Height (in.) Efficiency	h. Connected to:			
10	a. COLLECTION DATA	b. Description of Collected Mail.	c. Amount Collected (lbs/day)(1)1t	, d. Particle Size (microns avg.) hr			
	e. Types of Pollutanis [] Gas	CEMENT/CLINKER DUST	(2) 60 ^t /hr; (2) 2 ^t /hr;	h. Disposition of Collection Waste			
	[] Particulate [] Odor	1.	g. Concerton Efficiency	RECYCLE BACK			
11		b. Actual CFM. (2) 77,000/	c. SCFM (Reg I Standard)	d. Temperature (°F)			
11	GAS FLOW	(2) 10,000 (1) 5,000	a carri (maga camana)	In 175/90 Out 175/90			
	e. Pressure Drop	f. Efficiency	g Inlet and Outlet Pollutant Concentrations ALL .005 gr/dscf	h.			
	3-6in	<u> </u>	ALL .005 gr/dscf				
12	* ADDITIONAL DATA	b. [] Attach Brochure	c. [] Attach Plans/Specs	d. [X] Attach Emission Estimate (show calculation)			
:	e. [x] Submit Narrative Description of Process	f. [] Submit Source Test Data	g. [] Submit Modeling Data	h. [X] Attach Schedule of Equipment with Make, Model, Capacity			
٠,	r []	j.[]	k[]	L[]			

2

PUGET SOUND AIR POLLUTION CONTROL AGENCY
Engineering Division 110 Union Street, Suite 500 Seattle, Washington 98101-2038 (206) 689-4052
NOTICE of CONSTRUCTION & APPLICATION for APPROVAL

FOR BASIC PROCESS EQUIPMENT

FORM S

*Note: Information required by Section 1a must be completed for this form to be accepted for review.

1	a. Complete the []1 [] Sections Indicated* []7 []	2 []3 []4 []5 []6 8 []9 []10 []11 []12	b. Company (or owner) Installation Add 3801 E MARGINAL WAY SC					
Ì	c. Company (or owner) Name		d. Applicant					
	ASH GROVE CEMENT		SAME					
Ì	e. Prepared by (name and title)		I. Prepared by (signature)	g Phone				
	GERALD J BROWN		Carala Ille	623-5596				
2	* PROCESS EQUIPMENT	b. Title HIGH EFFICIENCY SEPARATORS	c. Make & Model STURTEVANT SD90	d. Dimensions (LxWxH)				
	e. # of Units; Rated Capacity	ſ,	g. Auxiliary Equipment	h. Connected to:				
	2, 60 tons/day			FINISH MILLS				
3	2.	b.	C.	ď.				
	c	f	g. Equipment	h, Connected to:				
4	a. BURNERS	b. Type of Burner, Fuel	c. Make & Model	d, Rated Capacity				
	e. # of Units; Ignition Method	ſ.	g. CFM Exhausted (Temperature)	h. Connected to:				
5	2. STACKS, VENTS, AND EXHAUST OPENINGS	b. Type of Vent	c. Dimensions	d.				
	e. # of Venis; Material of Construction	f.	g. CFM Exhausted (Temperature)	h. Connected to:				
6	a TANKS AND KETTLES	b. Type of Tank, Material	c. Dimensions (LxWxH) in inches	d. Surface Area (sq. [t.) [] Closed [] Open				
	e. # of Tanks; Material of Construction	ſ.	g. Auxiliary Equipment	h. Connected to:				
7	a. FANS	b. Type of Fan (designate blade)	c. Make & Model	d. Motor Data RPM HP				
	e. # of Fans: Material of Construction	ſ.	g. CFM Exhausted (Temperature)(^F)	h. Connected to:				
8	a OVENS & FURNACES	b. Type of Oven or Fumace	c. Make & Model	d. Rated Capacity				
	e. # of Ovens or Furnaces; Material of Construction	ſ.	g. CFM Exhausted (Temperature)	h. Connected to:				
9	a. OPERATIONAL DATA	b. Type of Operation [] Batch [X] Continuous	c. Operating Schedule (normal) Shifts/Day: []1 [X 2 []3	d. Mode of Operations [] Manual [X] Auto [] Semi-Auto				
· [e. Duration of Batch (hrs/batch)	f.	g. Daily # of Batchesavgmax	h.				
ro	a. CONVEYORS	b. Type of Conveyor (pneumatic, bolt)	c. Make & Model	d. Capacity				
	e. Dimensions (LxWಬೆ)	f.	g. # of Pickups # of Discharge Points	h. Connected to:				
11	a. GAS FLOW	b. Actual CFM 77,000 ACFM	c. SCFM (Reg I Standard)	d. Temperature (°F) In 70 Out 175				
	e. Pressure Drop	f. Essiciency	g. Injet and Outlet Pollutant Concentrations	h.				
12	a ADDITIONAL DATA	b. [] Allach Brochure	c.[] Allach Plans/Specs	d. [* Attach Emission Estimate (show calculation)				
	e. [k] Submit Narrative Description of Process	f.[] Submit Source Test Data	g.[] Submit Modeling Data	h. [x] Attach Schedule of Equipment with Make, Model, Capacity				
	ř []	1(1	k[]	r[] -				

PUGET SOUND AIR POLLUTION CONTROL AGENCY 110 Union Street, Suite 500 Seattle, Washington 98101 **ENVIRONMENTAL CHECKLIST**

WAIT - You may not need to fill out the attached checklist. Please read and check the following:

Because of the State Environmental Policy Act, the action for which you are filing a Notice of Construction and Application for Approval to this Agency requires the completion of an environmental checklist.

С

	an answer tyes to either of the following questions with respect to the action being proposed, the attached not be completed:
1.	I have obtained a State, City or County Permit and filled out an environmental checklist.
	Yes x No
	If you answered "yes", give State, City or County Department and date, and attach a copy of the checklist.
2.	An environmental checklist or assessment has previously been filled out for another agency.
	Yes x No
	If "yes", give agency and date, and attach a copy of the checklist.
If your answer	to both of the above questions was "no", you must fill out the attached environmental checklist.
	Prepared by:
	(Signature)
	GERALD J BROWN (Print Name)

MANAGER SAFETY AND ENVIRONMENTAL (Title)

Puget Sound Air Pollution Control Agency

110 Union Street, Suite 500 Seattle, Washington 98101 Telephone: (206) 343-8800 1-800-552-3635

Proponent: ASH GROVE CEMENT COMPANY

Project, Brief Title: High Efficiency Separators

ENVIRONMENTAL CHECKLIST

Purpose of Checklist:

The State Environmental Policy Act (SEPA), Chapter 43.21C RCW, requires all governmental agencies to consider the environmental impacts of a proposal before making decisions. An environmental impact statement (EIS) must be prepared for all proposals with probable significant adverse impacts on the quality of the environment. The purpose of this checklist is to provide information to help you and the agency identify impacts from your proposal (and to reduce or avoid impacts from the proposal, if it can be done) and to help the agency decide whether an EIS is required.

<u>Instructions for Applicants:</u>

This environmental checklist asks you to describe some basic information about your proposal. Governmental agencies use this checklist to determine whether the environmental impacts of your proposal are significant, requiring preparation of an EIS. Answer the questions briefly, with the most precise information known, or give the best description you can.

You must answer each question accurately and carefully, to the best of your knowledge. In most cases, you should be able to answer the questions from your own observations or project plans without the need to hire experts. If you really do not know the answer, or if a question does not apply to your proposal, write "do not know" or "does not apply". Complete answers to the questions now may avoid unnecessary delays later.

Some questions ask about governmental regulations, such as zoning, shoreline, and landmark designations. Answer these questions if you can. If you have problems, the governmental agencies can assist you.

The checklist questions apply to all parts of your proposal, even if you plan to do them over a period of time or on different parcels of land. Attach any additional information that will help describe your proposal or its environmental effects. The agency may ask you to explain your answers or provide additional information reasonably related to determining if there may be significant adverse impact.

Served:

King County
Kneep County
Perce County
Snohomesh County

Anta J. Frankal, Air Pollution Control Officer

BOARD OF DIRECTORS

Win Grantund, Constructioner Eletap County Tim Hill, King County Executive Peter Hufley, Councilmen Snohemen County Price Kinch, Meyor Everett Derlane Medenweld, Member at Large Love Methot: Meyor Respector Norm Rice, Mayor Seattle
Joe Stories, Resor County Executive
Karan Viete, Mayor Tacoma

Use of checklist for nonproject proposals:

Complete this checklist for nonproject proposals, even though questions may be answered "does not apply." IN ADDITION, complete the SUPPLEMENTAL SHEET FOR NONPROJECT ACTIONS (part D).

For nonproject actions, the references in the checklist to the words "project," "applicant," and "property or site" should be read as "proposal," "proposer," and "affected geographic areas," respectively.

TO BE COMPLETED BY THE APPLICANT

Name of proposed project, if applicable:
High Efficiency Separators
Name of applicant: ASH GROVE CEMENT COMPANY
Address and phone number of applicant and contact person:
Name: GERALD J BROWN Title: MANAGER SAFETY & ENVIRONMENTAL
Firm: ASH GROVE CEMENT COMPANY Telephone: (206) 623-5596
PO Box/Street: 3801 F MARGINAL WAY SOUTH
City/State/Zip: SFATTLE WA 98134
Date checklist prepared:
Agency requesting checklist:PSAPCA
Proposed timing or schedule (including phasing, if applicable):
Project start scheduled for March 1995. To be completed May 1995.

* 1 1.	8.	List any environmental information you know about that has been prepared, or will be prepared, directly related to this proposal.
	1, 1, 1 1, 1	The environmental checklist prepared in December 1988 for construction
		of the plant is directly related to this proposal.
*		· · ·
·- •		
_+ .J.	9.	Do you know whether applications are pending for governmental approvals of other proposals directly affecting the property covered by your proposal? If yes, explain.
	,	None
	••	·
		·
	10.	List any government approvals or permits that will be needed for your proposal, if known.
	٠	
	*	None
	~	<u> </u>
ustrug ia Ling		· · · · · · · · · · · · · · · · · · ·
ile ka	cio;	
:	17	
	11.	Give brief, complete description of your proposal, including the proposed uses and the size of the project and site. There are several questions later in this checklist that ask you to describe certain aspects of your proposal. You do not need to repeat those answers on this page.
	}	This project is to; 1). Increase both finish mill production to 60 tph
		to match annual kiln production and 2). Improve quality of product produced. This will be accomplished by replaceing existing cement separators with
-		high efficiency units, replacing separator dust collectors with high efficience
		units. Two existing dust collectors venting the mill feed equipment and feed
	i	bin will be replaced by three high efficiency units as a result in upgrading
		the dust collection equipment, dust existing from the collector wiil reduced
	5 . l	considerably.
		
		·
	en . f	
		· ·
	¥	

12.	Location of the proposal. Give sufficient information for a person to understand the precise location of your proposed project, including a street address, if any, and section, township, and range, if known. If a proposal would occur over a range of area, provide the range or boundaries
-1418.2	of the site(s). Provide a legal description, site plan, vicinity map, and topographic map, if reasonably available. While you should submit any plans required by the agency, you are not
	required to duplicate maps or detailed plans submitted with any permit applications related to this checklist.
	The location is at the Ash Grove Cement Plant located at
	3801 E. Marginal Way So., Seattle, WA 98134,
······································	
B. EN	VIRONMENTAL ELEMENTS
1.	Earth
"hir	a. General description of the site (circle one). Flat rolling, hilly, steep slopes, mountainous, other:
,	Other:
	b What is the steepest slope on the site (approximate percent slope)?
waa ili sa sii	2 percent c. What general types of soils are found on the site (for example, clay, sand, gravel, peat, muck)?
	If you know the classification of agricultural soils, specify them and note any prime farmland.
	 Bydraulic dredge fill overlying alluvial sands and silts with glacially consolidated sandy silt at considerable depths, about 200 feet below
i garingan arab Arangan arab	the existing ground surface elevation.
7 to	d. Are there surface indications or history of unstable soils in the immediate vicinity? If so, edescribe.
. 3.	No.
•	•
. \\\	e. Describe the purpose, type, and approximate quantities of any filling or grading proposed. Indicate source of fill.
	None.
	f. Could erosion occur as a result of clearing, construction or use? If so, generally describe.
	No.
	g. About what percent of the site will be covered with impervious surfaces after project construction (for example, asphalt or buildings)?
· · · · · · · · ·	N/A-1
·	

h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any:

N/A

2. Air

a. What types of emissions to the air would result from the proposal (i.e., dust, automobile, odors, industrial, wood smoke) during construction and when the project is completed? If any, generally describe and give approximate quantities if known.

Dust emissions from the new collectors will be reduced from 66 tpy to 24 tpy.

b. Are there any off-site sources of emissions or odor that may affect your proposal? If so, generally describe.

No.

c. Proposed measures to reduce or control emissions or other impacts to air, if any:
The process is vented by fabric filter dust collectors.

. 3. Water

からないのからない ちゅう なかなおななななななるとないからなななないないないで

- a. Surface:
 - 1) Is there any surface water body on or in the immediate vicinity of the site (including year-round and seasonal streams, saltwater, lakes, ponds, wetlands)? If yes, describe type and provide names. If appropriate, state what stream or river it flows into.

The Duwamish River flows along the west border of the plant site.

2) Will the project require any work over, in, or adjacent to (within 200 feet) the described waters? If yes, please describe and attach available plans.

W

3) Estimate the amount of fill and dredge material that would be placed in or removed from surface water or wetlands and indicate the area of the site that would be affected. Indicate the source of fill material.

None.

4) Will the proposal require surface water withdrawals or diversions? Give general description, purpose, and approximate quantities if known.

No.

5) Does the proposal lie within a 100-year floodplain? If so, note location on the site plan.

No

6) Does the proposal involve any discharges of waste materials to surface waters? If so, describe the type of waste and anticipated volume of discharge.

ging the **No**wman country and contract to the companies of the country and the properties to the

b. Ground:

1) Will ground water be withdrawn, or will water be discharged to ground water? Give general description, purpose and approximate quantities if known.

No.

2) Describe waste material that will be discharged into the ground from septic tanks or other sources, if any (for example: domestic sewage; industrial, containing the following chemicals...; agricultural; etc.). Describe the general size of the systems, the number of such systems, the number of houses to be served (if applicable), or the number of animals or humans the system(s) are expected to serve.

None.

:

- c. Water Runoff (including storm water):
 - Describe the source of runoff (including storm water) and method of collection and disposal, if any (include quantities, if known). Where will this water flow? Will this water flow into other waters? If so, describe.

Storm water runoff will continue to be collected in the existing plant storm water system.

	•	Could waste n	naterial enter ground or sur	face waters? I	so, generally describ	e.
		No.		-		
				¥	•	
			serri e		81 July 1838	
	d.	Proposed measur	es to reduce or control sur	face, ground, a	nd runoff water impac	ts, if any:
		None.			Piller a PML iš Preši	
4.	Pla	ants			•	
	a,	Check or circle typ	oes of vegetation found on	the site:		
	:		e: alder, maple, aspen, other e: fir, cedar, pine, other	ner		
		X grass pasture crop or grain	gad states. Til	· .	Kira di Kasamilia. Tanggaran	
		wet soil plants	cattail, buttercup, bullrus water lily, eelgrass, milfoil, vegetation		age, other	
	ь.	What kind and am	ount of vegetation will be r	emoved or alte	red?	
		None.		•	arana Inggapi	÷ .
• • • •	7571	ET E _ 13	1		1. 1065 395	
:1.	c.		endangered species know	n to be on or n	ear the site.	
		None.			1.51	
		·				
						,
	d.	Proposed landsca vegetation on the	eping, use of native plan site, if any:	is, or other n	neasures to preserve	or enhance
		None.				
5 .	An	imals				
36	a.	Circle any birds ar on or near the site None.	nd animals which have bee :	n observed on	or near the site or are	known to be
			n, eagle, songbirds, other:	•	· ;	
					•	
			· .			
			¥1			

		Mammals: deer, bear, elk, beaver, other:	·
		Fish: bass, salmon, trout, herring, shellfish, other:	_
- 4' **		The second secon	- * *
×	b. ⁻	List any threatened or endangered species known to be on or near t None.	he site.
.		Is the site part of a migration route? If so, explain.	
,		en in grune dipluminate estimated. A service of the street of the con-	
	ď.	Proposed measures to preserve or enhance wildlife, if any:	'Y'
		None.	i de g
		र व्यक्तिकारी १ तेहें हेंबेलच्या चर्चा के तिस्तान स्थाप क्षेत्र होता है हैं है जिसके हैं है है है है है है है है	31.5
		g mit gegentigt den ein Frittigheit und der Fritzielle von der Fritzielle von der der George von der der der d Der der der der der der der der der der d	597 <u></u>
	,	िवस्ति विश्वविद्यास्त्रीतः (स्टब्स्यूडिक एप्टेर्स्थारम् । एक्षे १००० १९०१ वर्षे विश्वविद्यास्त्रीतः ।	
		e e la senso en la lors popular la la senso de la s	
6.	En	nergy and Natural Resources	'
	а.	What kinds of energy (electric, natural gas, oil, wood stove, solar completed project's energy needs? Describe whether it was manufacturing, etc.	
		restant a silver of the second	
		Electricity.	•
, Z			٠,
	b.	. Would your project affect the potential use of solar energy by a generally describe.	djacent propenies? If so,
		No.	
		•	
	c.	What kinds of energy conservation features are included in the plother proposed measures to reduce or control energy impacts, if an	
		None.	*3

and a little conformation when the control of

			×
	7.	Env	rironmental Health
		a.	Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste, that could occur as a result of this proposal? If so, describe.
·			Describe special emergency services that might be required.
*			None.
			•
11.	٠.		2) Proposed measures to reduce or control environmental health hazards, if any:
andre Andrews Water and Andrews	 , : : .	:	
			N/A
	•	b. ·	Noise Noise
*			
			1) What types of noise exist in the area which may affect your project (for example: traffic, equipment, operation, other)?
			Various pieces of heavy machinery are located at the plant site.
*			
¥			2) What types and levels of noise would be created by or associated with the project on a short-term or a long-term basis (for example: traffic; construction, operation, other)? Indicate what hours noise would come from the site.
			Minor increase in current noise levels is expected.
			3) Proposed measures to reduce or control noise impacts, if any:

q

Fans will enclosed in the mill building.

- 8. Land and Shoreline use
 - a. What is the current use of the site and adjacent properties?

 Heavy manufacturing.
 - b. Has the site been used for agriculture? If so, describe.
 No.
 - c. Describe any structures on the site. At the site are a 14 foot diameter cement kiln, 260 foot tall preheater tower, raw material silos, clinker storage silos and shed, cement storage silos, raw mill building, finish mill building, packhouse building, motor control centers, plant office and sales office.
 - d. Will any structures be demolished? If so, what?
 No.
 - e. What is the current zoning classification of the site?

 General Industrial 1 (IG 1)
 - f. What is the current comprehensive plan designation of the site?
 Industrial
 - g. If applicable, what is the current shoreline master program designation of the site?
 Urban Inclustrial (UI)

	*,					
h.	n. Has any part of the site been classified as an 'environme	entally sensitive" area? If so, specify.				
	No.					
		· · · · · · · · · · · · · · · · · · ·				
•	·					
Approximately how many people would reside or work in the completed project?						
, i•		if the completed projects				
	None.					
	e Adv.					
j.	. Approximately how many people would the completed p	project displace?				
	None.					
•	•					
	the second second second second	e eguddane i de d				
k. :	k. Proposed measures to avoid or reduce displacement in	npacts, if any:				
	Not Applicable	·				
	•					
	 Definition to the second of the					
		r hand he ji are				
ī.	 Proposed measures to ensure the proposal is compa uses and plans, if any: 	atible with existing and projected land				
	Not Applicable					
	•					
Ua	Universe	·				
no	Housing					
а.	 a. Approximately how many units would be provided, if a low-income housing. 	ny? Indicate whether high, middle, or				
	Not Applicable					
		*				

Approximately how many units, if any, would be eliminated? Indicate whether high, middle, or low-income housing.

Not Applicable

9.

c.	Proposed measures to reduce or control housing Impacts, if any:		
	Not Applicable		
Aρ	sthetics		
a.	What is the tallest height of any proposed structure(s), not including antennas; what is the principal exterior building material(s) proposed?		
	90 feet, corrugated cement panels.		
b.	What views in the immediate vicinity would be altered or obstructed?		
	None:		
	All the second of the second o		
c.	Proposed measures to reduce or control aesthetic impacts, if any:		
	Not Applicable		
: ·	ma provincia di filomopo y su pravi, est com a mesa provincia di seguina.		
ونا	pht and Glare		
a.	What type of light or glare will the proposal produce? What time of day would it mainly occur?		
	None.		
b.	Could light or glare from the finished project be a safety hazard or interfere with views?		

c. What existing off-site sources of light or glare may affect your proposal?

10.

11.

No.

None.

· water a man which is the server control of the control of the server of the control of the con

	ď.	Proposed measures to reduce or control light and glare impacts, if any:		
		None.		
12.	Red	creation		
	a.	What designated and informal recreational opportunities are in the immediate vicinity?		
·		None.		
· .				
,				
٠.				
	b.	Would the proposed project displace any existing recreational uses? If so, describe.		
3.44 T T T T T T T T T T T T T T T T T T		No. Pro transport to the second of the secon		
		ayah dan sak terrik balis salis salis sali danmada (arti. 1.5)		
	c.	Proposed measures to reduce or control impacts on recreation, including recreation opportunities to be provided by the project or applicant, if any:		
Part # 1 - P	T :-	Not Applicable store bereiter to select the extens policy types word to		
		The section of the se		
	•			
13.	Historic and Cultural Preservation			
a. Are there any places or objects listed on, or proposed for, national, state, or registers known to be on or next to the site? If so, generally describe.		Are there any places or objects listed on, or proposed for, national, state, or local preservation registers known to be on or next to the site? If so, generally describe.		
		No.		
		•		
	b.	Generally describe any landmarks or evidence of historic, archaeological, scientific, or cultural importance known to be on or next to the site.		
		Does not apply		

the second of the second and the second second second second second second

13

c. Proposed measures to reduce or control impacts, if any:

Does not apply

14. Transportation

a. Identify public streets and highways serving the site, and describe proposed access to the existing street system. Show on site plans, if any.

East Marginal Way serves the site. Access is by way of an existing driveway entrance at the northeast corner of the property.

- b. Is site currently served by public transit? If not, what is the approximate distance to the nearest transit stop?
 - No. The closest transit stop is 1000 feet away.

na Pagasan galatika i salawasan na arangali kumuna na pasa hati au subur ang tikabapah lam na na jaminalah ya na matan na na na majang pagahasan disabap

c. How many parking spaces would the completed project have? How many would the project eliminate?

Will not change from current levels.

- d. Will the proposal require any new roads or streets, or improvements to existing roads or streets, not including driveways? If so, generally describe (indicate whether public or private).
 No.
- e. Will the project use (or occur in the immediate vicinity of) water, rail, or air transportation? If so, generally describe.
 No.
- f. How many vehicular trips per day would be generated by the completed project? If known, Indicate when peak volumes would occur.

None.

. 3.

D. SUPPLEMENTAL SHEET FOR NONPROJECT ACTIONS

(Do not use this sheet for project actions)

Because these questions are very general, it may be helpful to read them in conjunction with the list of the elements of the environment.

When answering these questions, be aware of the extent the proposal, or the types of activities likely to result from the proposal, would affect the item at a greater intensity or at a faster rate than if the proposal were not implemented. Respond briefly and in general terms.

How would the proposal be likely to increase discharge to water; emissions to air; production, storage, or release of toxic or hazardous substance; or production of noise?
 Small amounts of fugitive dust will be emitted from the baghouse. A new fan will generate some additional noise.

Proposed measures to avoid or reduce such increase are:

Due to bag house moderization a reduction from 66 tpy to 24 tpy will result.

How would the proposal be likely to affect plants, animals, fish, or marine life?
 The proposal will have negligable impact.

Proposed measures to protect or conserve plants, animals, fish, or marine life are:

Not. Applicable

3. How would the proposal be likely to deplete energy or natural resources?
The proposal will result in a negligable increase in energy consumption of the plant.

Proposed measures to protect or conserve energy and natural resources are:

The efficiency of the mils will be improved.

- g. Proposed measures to reduce or control transportation impacts, if any:

 None.
- 15. Public Services
 - a. Would the project result in an increased need for public services (for example, fire protection, police protection, health care, schools, other)? If so, generally describe.

No.

b. Proposed measures to reduce or control direct impacts on public services, if any.

Not Applicable

- 16. Utilities
 - a. Circle utilities currently available at the site: electricity, natural gas, water, refuse service, telephone, sanitary sewer, septic system, other.
 - b. Describe the utilities that are proposed for the project, the utility providing the service, and service, and the general construction activities on the site or in the immediate vicinity which might be needed.

None.

C. SIGNATURE

The above answers are true and complete to the best of my knowledge. I understand that the lead agency is relying on them to make its decision.

Signature:

Date Submitted:

10/99

4. How would the proposal be likely to use or affect environmentally sensitive areas or areas designated (or eligible or under study) for governmental protection; such as parks, wilderness, wild and scenic rivers, threatened or endangered species habitat, historic or cultural sites, wetlands, floodplains, or prime farmlands?

Does not apply

Proposed measures to protect such resources or to avoid or reduce Impacts are:

Does not apply

5. How would the proposal be likely to affect land and shoreline use, including whether it would allow or encourage land or shoreline uses incompatible with existing plans?

Does not apply

Proposed measures to avoid or reduce shoreline and land use impacts are:

Does not apply


6. How would the proposal be likely to increase demands on transportation or public services and

It will not increase demand in transportation or services. Power consumption will increase slightly.

Proposed measures to reduce or respond to such demand(s) are:

 Identify, if possible, whether the proposal may conflict with local, state, or federal laws or requirements for the protection of the environment.

Does not apply



FINISH MILL HIGH EFFICIENCY SEPARATORS PROJECT DESCRIPTION

The purpose of this project is two fold. The first goal is to increase finish mill production to 60 tph on each of the two mill circuits in order to match annual kiln production. The second goal is to improve product quality by controlling the product particle size distribution to a more narrow band of sizes. These goals will be accomplished by replacing the existing the cement separators in the mill circuits with two new high efficiency separators. The existing separators are each vented by a 16,800 scfm dust collector for nuisance venting. These two dust collectors will be removed and replaced by two 64,000 scfm dust collectors which will receive the full product output from the separators. The discharge from the proposed dust collectors will constitute the product stream from the finish mill and will be routed to the existing cement pumps and thence to storage. Over size material rejected by the separators will be returned to the mills for regrinding.

To make room for the new separator dust collectors, two existing dust collectors which vent the mill feed equipment and the feed bins will be removed and replaced by three new modern dust collectors. Two will be rated at 10,000 scfm and will vent the mill feed equipment. One will be rated at 5000 scfm and will vent the feed bins.

The dust output from the new dust collectors will be at or below 0.005 gr/dscf as opposed to 0.05 gr/dscf for the old dust collectors. This will result in net decrease in pollutant output from 66 tpy to 24 tpy for the affected dust collectors.

Ash Grove Cement Company 3801 E. Marginal Way So. Seattle, Washington

re: Finish Mill High Efficiency Separator Project
Emission Estimates: PM reduction of 41.52 tons/year

Current with PSAPCA Control Apparatus (CE) No. 7 and 8:

```
(# units x scfm x gr/dscf)/7000 gr/lb.x 60min/hr x 24hr/day = lb/day; tpy
(2 x 16,800 x 0.05)/7000 gr/lb.x 60min/hr x 24hr/day = 345.60 63.07
(2 x 3,864 x 0.05)/7000 gr/lb.x 60min/hr x 24hr/day = 79.49 14.50
Total = 425.09 77.57
```

77.57 tpy x 85% run time = 65.94 Tons/year

Project Expected Values with new dust collectors replacing those above:

```
(# units x scfm x gr/dscf)/7000 gr/lb. x 60min/hr x 24hr/day = lb/day; tpy
(2 x 64,000 x 0.005)/7000 gr/lb. x 60min/hr x 24hr/day = 131.66 24.03
(2 x 10,000 x 0.005)/7000 gr/lb. x 60min/hr x 24hr/day = 20.57 3.75
(1 x 5,000 x 0.005)/7000 gr/lb. x 60min/hr x 24hr/day = 5.14 0.94
Total = 157.37 28.72
```

28.72 tpy x 85% run time = 24.42 Tons/year

FINISH MILL HIGH EFFICIENCY SEPARATORS EQUIPMENT LIST

1.	Sturtevant SD-90 High Efficiency Separator	l per mill
2.	Separator Dust Collector, 64,000 scfm, 3.42:1	1 per mill
	air to cloth ratio, 18689 sq. ft. of cloth	
3.	Fan, Twin City M/N 490, type BCS, 77,000 acfm	1 per mill
	w/ 350 hp tefc motor	
4.	Feed Bin Dust Collector, 5000 scfm, 6.0:1 air to	1 only
	cloth ratio, 833 sq. ft. of cloth, with fan	
5.	Mill Feed Dust Collector, 10,000 scfm, 6.0:1 air to	1 per mill
	cloth ratio, 1,667 sq. ft. of cloth, with fan	